

# ProCleaner

P200



Powerful and solid washing robot for poultry houses

## Powerful, flexible and reliable

- Powerful and reliable washing robot
- Cleans ceilings, gables, and walls
- Reduce up to 50% of the hard manual washing work



**Washpower A/S**

Elmevej 8 | 7870 Roslev, Denmark  
+45 96 96 10 15 | [info@washpower.com](mailto:info@washpower.com)

[www.washpower.com](http://www.washpower.com)



## Powerful washing robot for poultry houses

To ensure a uniform wash of gables, ceilings and walls in broiler houses has been a challenge for many years; and still is. The manual washing and cleaning of a broiler house is a hard and exhausting work and often the results vary in quality from one time to another. In addition, you get exposed to a huge amount of organic dust when washing down a broiler house manually which can lead to respiratory disorder or even worse, lung diseases.

With the introduction of the ProCleaner P200, we offer a solution to automatize the washing of broiler houses that reduces the manual work of washing by up to 50%.

**WATCH VIDEO**





**WASH POWER™**  
Make cleaning easy

## Facts ProCleaner

P200

- User friendly touch screen
- Washes out in 12 m distance
- Heavy soaking of floor and inventory
- Buffer tank and automatic hose rewind
- 130 m hose and manual reel



## How it works

The washing procedure starts with making a program suitable for the broiler house. Our user-friendly touchscreen makes programming easy, and it doesn't take much time either. You set the speed and the desired nozzle movements. The program can then be saved and reused and you can make a custom program for each different house to be washed.

ProCleaner P200 is ready to wash when the washing unit is placed at the end of the barn and the hose is rolled through the gate on the opposite side. The powerful nozzle can wash up to a distance of 12 m, so if your chicken house is less than 24 m wide, one wash is all you need. The dynamic, changing wash angle ensures it gets around obstacles, the P200 washes steel arches on their rear edge, hitting them on both sides.

Our washing robot for chicken houses has a 400 litres buffer tank which ensures an optimal flow, and the repeater spindle ensures an evenly distributed hose winding. The hose is flushed during rewinding, so it is clean everywhere when rewound.

With a hose length of 130 m, ProCleaner P200 can be used in all types of open houses, including long chicken houses. You don't have to check on your washing robot until it has finished the job, but the manual spool allows you to wash the fixtures at the same time as the automatic wash if you wish.



**WASH POWER™**  
Make cleaning easy



[www.washpower.com](http://www.washpower.com)